

866 413-3156 toll free phone 877 834-1231 toll free fax

QUESTIONS? Please contact us!

Hematopoietic Prescription Referral Form

Send your Rx to:

	ded: Ship To: () Patient's Home () Prescriber's Off	ice () Pick-up (store lo	ocation):	Injection trai	- J
		on Please include copies of the F			by priarriacy	
Patient Name: Preferred Pho		Birthdate: Sex:	() Male () Female wn Allergies:	Height:	Weight: () lbs.	() kg.
	Name:	•	erred Phone: —		Zip	
2. Prescriber Inf	ormation					
	Speci	ialty: DEA	#:	NPI#:	I#: Tax ID#:	
		· · · · · · · · · · · · · · · · · · ·	ne:		one:	
City, State, Zip.		incy incy	contact:		one.	
	nical Information				to expedite the prior autho	rization
	lb/Kg Age:	Adult/Pediatric:				
Diagnosis: ☐ Anemia due to CKD ☐ Anemia due to myelosuppressive chemotherapy ☐ Anemia due to Zidovudine Therapy in HIV Patients ☐ Elective Surgery		□ Dialysis/No Dialysis □ Type of Cancer: Length of Therapy: □ Serum Erythropoietin Level: <munits date:<="" ml="" of="" surgery:="" td="" type="" □=""></munits>				
Lab Work: ☐ SCr.: ☐ Crcl: ☐ Hg Level g, ☐ Hematocrit:	/dl Date:	☐ Platelets Count: ☐ Serum Ferritin (Iron Stores): ☐ TSAT Transferrin Saturation:	mcg/L			
History / Current Med Uncontrolled BP Seizures disorder Pregnant / Nursin		□ Stroke / DVT / PT: □ Bleeding Disorder - Specify: □ Any Allergy - Specify: □ Patient been previously on any Drug Name:	ESA Therapy? () Yes	() No		
4. Prescription I	nformation					
Drug Name		Strenght		Dose / Frequency / F	Route	Refill
Procrit	□ 2,000 u/ml SDV □ 10,	,000 u/ml SDV □ 40,000 u/ml	Inject u/kg	OR Units		
(Epoetin Alfa)		,000 u/ml MDV ,000 u/2ml (10,000 / 1ml) MDV		☐ Twice per week IV		
	□ 4,000 u/ml SDV □ 20 □ 2,000 u/ml SDV □ 10, □ 3,000 u/ml SDV □ 20,		Other: u/kg	OR Units	/ SC	
(Epoetin Alfa) Epogen	□ 4,000 u/ml SDV □ 20 □ 2,000 u/ml SDV □ 10, □ 3,000 u/ml SDV □ 20, □ 4,000 u/ml SDV □ 20 Single Dose Vials: □150mcg □25 □40 □60 □100 □200 Single Dose Prefilled Syringes	,000 u/2ml (10,000 / 1ml) MDV 000 u/ml SDV ,000 u/ml MDV ,000 u/2ml (10,000 / 1ml) MDV /0.75ml 0 □300 □500 mcg/ml : □10mcg/0.4ml □25mcg/0.42ml	Other: u/kg ☐ Once per week Other: mcg/k ☐ Once every week	OR IV OR Units □ Twice per week IV g ORmc	Three times per week / SC g ks □Once every 3 weeks	
(Epoetin Alfa) Epogen (Epoetin Alfa) Aransep (Darbepoetin Alfa)	□ 4,000 u/ml SDV □ 20 □ 2,000 u/ml SDV □ 10, □ 3,000 u/ml SDV □ 20, □ 4,000 u/ml SDV □ 20 Single Dose Vials: □150mcg □25 □40 □60 □100 □200 Single Dose Prefilled Syringes: □40mcg/0.4ml □60mcg/0.3ml □200mcg/0.4ml □300mcg/0.6	,000 u/2ml (10,000 / 1ml) MDV ,000 u/ml SDV ,000 u/ml MDV ,000 u/2ml (10,000 / 1ml) MDV /0.75ml 0 □300 □500 mcg/ml : □10mcg/0.4ml □25mcg/0.42ml l □100mcg/0.5ml □150mcg/0.3ml 6ml □500mcg/ml	Other: u/kg _ □ Once per week Other: mcg/k □ Once every week Other:	OR IV OR Units Twice per week IV g ORmc Once every 2 wee	Three times per week / SC g ks □Once every 3 weeks	rogram
(Epoetin Alfa) Epogen (Epoetin Alfa) Aransep (Darbepoetin Alfa)	□ 4,000 u/ml SDV □ 20 □ 2,000 u/ml SDV □ 10, □ 3,000 u/ml SDV □ 20, □ 4,000 u/ml SDV □ 20 Single Dose Vials: □150mcg □25 □40 □60 □100 □200 Single Dose Prefilled Syringes: □40mcg/0.4ml □60mcg/0.3ml □200mcg/0.4ml □300mcg/0.6	,000 u/2ml (10,000 / 1ml) MDV ,000 u/ml SDV ,000 u/ml MDV ,000 u/2ml (10,000 / 1ml) MDV /0.75ml 0 □300 □500 mcg/ml : □10mcg/0.4ml □25mcg/0.42ml l □100mcg/0.5ml □150mcg/0.3ml 6ml □500mcg/ml	Other: u/kg _ □ Once per week Other: mcg/k □ Once every week Other:	OR IV OR Units Twice per week IV g ORmc Once every 2 wee	Three times per week / SC g ks □Once every 3 weeks / SC	rogram
(Epoetin Alfa) Epogen (Epoetin Alfa) Aransep (Darbepoetin Alfa) 5. Patient Suppo	□ 4,000 u/ml SDV □ 20 □ 2,000 u/ml SDV □ 10, □ 3,000 u/ml SDV □ 20, □ 4,000 u/ml SDV □ 20 Single Dose Vials: □150mcg □25 □40 □60 □100 □200 Single Dose Prefilled Syringes: □40mcg/0.4ml □60mcg/0.3ml □200mcg/0.4ml □300mcg/0.6	,000 u/2ml (10,000 / 1ml) MDV ,000 u/ml SDV ,000 u/ml MDV ,000 u/2ml (10,000 / 1ml) MDV /0.75ml 0 □300 □500 mcg/ml : □10mcg/0.4ml □25mcg/0.42ml l □100mcg/0.5ml □150mcg/0.3ml 6ml □500mcg/ml	Other: u/kg _ □ Once per week Other: mcg/k □ Once every week Other:	OR IV OR Units □ Twice per week IV g OR mc □ Once every 2 wee IV	Three times per week / SC g ks □Once every 3 weeks / SC	rogram
(Epoetin Alfa) Epogen (Epoetin Alfa) Aransep (Darbepoetin Alfa) 5. Patient Suppo	□ 4,000 u/ml SDV □ 20 □ 2,000 u/ml SDV □ 10, □ 3,000 u/ml SDV □ 20, □ 4,000 u/ml SDV □ 20 Single Dose Vials: □150mcg □25 □40 □60 □100 □200 Single Dose Prefilled Syringes: □40mcg/0.4ml □60mcg/0.3ml □200mcg/0.4ml □300mcg/0.6	,000 u/2ml (10,000 / 1ml) MDV ,000 u/ml SDV ,000 u/ml MDV ,000 u/2ml (10,000 / 1ml) MDV /0.75ml 0 □300 □500 mcg/ml : □10mcg/0.4ml □25mcg/0.42ml l □100mcg/0.5ml □150mcg/0.3ml 6ml □500mcg/ml	Other: u/kg ☐ Once per week Other: mcg/k ☐ Once every week Other:	OR IV OR IV Twice per week OR IV GOR MC Once every 2 wee IV Irmaceutical company	Three times per week / SC g ks □Once every 3 weeks / SC	
(Epoetin Alfa) Epogen (Epoetin Alfa) Aransep (Darbepoetin Alfa) 5. Patient Suppo	4,000 u/ml SDV	,000 u/2ml (10,000 / 1ml) MDV ,000 u/ml SDV ,000 u/ml MDV ,000 u/2ml (10,000 / 1ml) MDV /0.75ml 0 □300 □500 mcg/ml : □10mcg/0.4ml □25mcg/0.42ml l □100mcg/0.5ml □150mcg/0.3ml 6ml □500mcg/ml	Other: u/kg	OR IV OR IV IT Wice per week IV GOR IV GOR MC IV GOR MC IV DORCE EVERY 2 WEE IV DORCE EVERY 3 WEE IV DORCE EVERY 4	Three times per week / SC g ks Once every 3 weeks / SC assisted patient support processes of the second processes of the sec	
(Epoetin Alfa) Epogen (Epoetin Alfa) Aransep (Darbepoetin Alfa) 5. Patient Suppo	□ 4,000 u/ml SDV □ 20 □ 2,000 u/ml SDV □ 10, □ 3,000 u/ml SDV □ 20, □ 4,000 u/ml SDV □ 20 □ 4,000 u/ml SDV □ 20 Single Dose Vials: □150mcg □25 □40 □60 □100 □200 Single Dose Prefilled Syringes: □40mcg/0.4ml □60mcg/0.3ml □200mcg/0.4ml □300mcg/0.6 Ort Programs	,000 u/2ml (10,000 / 1ml) MDV ,000 u/ml SDV ,000 u/ml MDV ,000 u/2ml (10,000 / 1ml) MDV ,075ml 0 □300 □500 mcg/ml 1 □10mcg/0.4ml □25mcg/0.42ml 1 □100mcg/0.5ml □150mcg/0.3ml 6ml □500mcg/ml Please sign and date be to both, the prescription(s) above, as well a poply to co-pay assistance programs, include	Other: u/kg	Prescriber's agent to enufacturer assistance product.	Three times per week / SC g ks Once every 3 weeks / SC assisted patient support processes of the second processes of the sec	